



## 0300261 Rechargeable Worklight - 10W 1000lm 5000K IP65 - Lithium-ion - 16.20Wh

- Dust tight and waterjet protected
- 3000 charging cycles
- Dimmable

The Rechargeable Work Light is built to last. It has a sturdy and compact design and is highly impact resistant. The perfect companion on construction sites, in automotive repair shops and for installation work.

The work lamp can either be set up standing or suspended from metal walls and hoods thanks to the strong magnetic on the back of the foot. Also, the lamp is 180 degrees rotatable supporting multi-angle light outputs.

The light emits a bright cool white light and is stepless dimmable from 100% to 10%. In addition, the lamp is easy to charge via USB-C and the battery has an exceptional lifespan of 3000 charging cycles.

Can be used indoors as well as outdoors, since the light is dust tight, and waterjet protected.

**LED's work**

### General

Brand	LED's work
Collection	Functional

Manual language	Dutch, English, French, German, Spanish
Package content	USB cable, Multi language manual
PLC Status	Active
Warranty	2-Year

## Lighting

Total lumens	1000 lm
Adjustable luminous flux	Continuously variable
Adjustable color temperature	No
Lamp efficacy	100
Light sharing	Symmetric
Color temperature	5000 K
Color description	Neutral white
Color rendering index	80
Color consistency (McAdam Ellipse)	SDCM6
Beam angle	105 °
Flicker-free	Yes

## Electrical

Power consumption	10 W
Input voltage.	5 — 5 V
Voltage type	DC
Input current.	0 — 2000 mA
Safety class	III
Type of dimming	Button dimming
LED chip type	COB
LED chip quantity	1

## Power Supply

DC cable length	1 m
DC cable color	black
DC cable end	USB-C

## Performance

IP Rating	IP65
Impact strength	IK07

Rough service	No
Operating Temperature	-10 — 35 °C

## Mechanical

With light source	No
Article length	95 mm
Article width	43 mm
Article height	73 mm
Article net weight	293 g
Housing material	Aluminum, Polyamide / Nylon (PA)
Color housing	Black
Diffuser material	Glass
Diffuser finishing	Transparent
Cable type	DC cable
Cable length	100 cm
Cable color	Black
Plug type	USB C
Lamp type	LED not exchangeable

## Battery

NL subcategory	Packs
NL usage klass	P
Stibat code	B110020040
Stiftung Batterien (GRS) code	1024314453
Technology	Lithium-ion
Battery type	21700
Capacity	4500 mAh
Voltage	3.7 V
Energy	16.2 Wh
Run time	3 h
Charging time	2.5 h
Charging cycles	3000
Weight	77 g
Number of cells	1
Replaceable	No
IEC code	21700

### Logistic Data

Packaging length	8.5 cm
Packaging width	5 cm
Packaging height	12 cm
Packaging gross weight	350 g
EAN Product	8720604301700
Packaging paper material weight	24 g
Packaging plastic material weight	3 g
Master carton length	27 cm
Master carton width	26 cm
Master carton height	19 cm
CBM master carton	0.013338 m <sup>3</sup>
Master carton quantity	20
Master carton gross weight	7.42 kg
Master carton paper material weight	904 g
Master carton plastic material weight	56 g
Country of Origin	CN
HS Code	8513100000

View on the website: [www.shada.nl/p/0300261](http://www.shada.nl/p/0300261)