



## 0310662 Work Light - 10W 4000K IP54

- Robust design
- Compact and light weight
- Easy on/off button at the back

The work light is perfect for places where a mobile and bright light source is needed, such as on construction sites, during installation work, in workshops or in workplaces. For hobby craftsmen as well as professionals.

The LED work light has a modern and robust aluminum housing and is equipped with a convenient ergonomically shaped handle. With backside on/off button you can turn it off when it's necessary.

The light emits a neutral white light and is dust tight and waterjet protected.

**LED's work**

F

### General

Brand	LED's work
Collection	Functional
Manual language	Dutch, English, French, German, Spanish
PLC Status	Active
Warranty	2-Year

## Lighting

Useful lumens	850 lm
Lamp efficacy	106
Color temperature	4000 K
Color description	Neutral white
Color rendering index	80
Color consistency (McAdam Ellipse)	SDCM6
Beam angle	120 °

## Electrical

Power consumption	10 W
Input voltage.	220 — 240 V
Input frequency	50/60 Hz
Power factor	0.93
Input current.	47 — 47 mA
Safety class	I
Type of dimming	Not dimmable
LED chip quantity	12

## Performance

IP Rating	IP54
Rated life time L70/B50 at 25 C	25000 h
Operating Temperature	-20 — 45 °C
Energy class (EU 2019/2015)	F

## Mechanical

With light source	No
Article length	150 mm
Article width	130 mm
Article height	225 mm
Article net weight	715 g
Housing material	Aluminum
Color housing	Black
Cable length	150 cm
Cable color	Black
Plug type	Hybrid plug
Lamp socket	N/A

## Logistic Data

Packaging length	16 cm
Packaging width	11.5 cm
Packaging height	20 cm
Packaging gross weight	810 g
EAN Product	8720604305746
Packaging paper material weight	92 g
Packaging plastic material weight	3 g
Master carton length	34 cm
Master carton width	35 cm
Master carton height	42 cm
CBM master carton	0.04998 m <sup>3</sup>
Master carton quantity	12
Master carton gross weight	10.3 kg
Master carton paper material weight	1646 g
Master carton plastic material weight	34 g
HS Code	9405421000

View on the website: [www.shada.nl/p/0310662](http://www.shada.nl/p/0310662)