



## 0310663 Work Light - 30W 4000K IP54

- Robust design
- Compact and light weight
- Easy on/off button at the back

The work light is perfect for places where a mobile and bright light source is needed, such as on construction sites, during installation work, in workshops or in workplaces. Great for hobby craftsmen and DIY enthusiasts.

The LED work light has a modern and robust aluminum housing and is equipped with a convenient ergonomically shaped handle. With backside on/off button you can turn it off when it's necessary.

The light emits a neutral white light and is dust tight and waterjet protected.

**LED's work**

## General

Brand	LED's work
Collection	Functional
Manual language	Dutch, English, French, German, Spanish
PLC Status	Active
Warranty	2-Year

## Lighting

Useful lumens	2550 lm
Lamp efficacy	106
Color temperature	4000 K
Color description	Neutral white
Color rendering index	80
Color consistency (McAdam Ellipse)	SDCM6
Beam angle	120 °

## Electrical

Power consumption	30 W
Input voltage.	220 — 240 V
Input frequency	50/60 Hz
Power factor	0.93
Input current.	140 — 140 mA
Safety class	I
Type of dimming	Not dimmable
LED chip quantity	30

## Performance

IP Rating	IP54
Rated life time L70/B50 at 25 C	25000 h
Operating Temperature	-20 — 45 °C
Energy class (EU 2019/2015)	F

## Mechanical

With light source	No
Article length	190 mm

Article width	168 mm
Article height	275 mm
Article net weight	1035 g
Housing material	Aluminum
Color housing	Black
Cable length	150 cm
Cable color	Black
Plug type	Hybrid plug
Lamp socket	N/A

### Logistic Data

Packaging length	20 cm
Packaging width	10 cm
Packaging height	20.5 cm
Packaging gross weight	1150 g
EAN Product	8720604305753
Packaging paper material weight	109 g
Packaging plastic material weight	6 g
Master carton length	41 cm
Master carton width	33 cm
Master carton height	22 cm
CBM master carton	0.029766 m <sup>3</sup>
Master carton quantity	6
Master carton gross weight	7.2 kg
Master carton paper material weight	984 g
Master carton plastic material weight	36 g
HS Code	9405421000

View on the website: [www.shada.nl/p/0310663](http://www.shada.nl/p/0310663)