



0310720 Work Light - 30W 3300lm 4000K IP65

- Robust aluminum housing
- Dust tight and waterjet protected
- Highly impact resistant

LED's work

The work light is perfect for places where a mobile and bright light source is needed, such as on construction sites, during installation work, in workshops or in workplaces. For hobby craftsmen as well as professionals.

The LED work light has a modern and robust aluminum housing and is equipped with protective plastic corners and a convenient ergonomically shaped handle. The lamp is collapsible and has a three-meter-long cable, meaning that it can easily be transported as well as moved.

The light emits a neutral white light and is highly impact resistant, dust tight and protected against the effect of water jets. Making it the perfect light for indoor as well as outdoor.

E

General

Brand	LED's work
Collection	Functional
Manual language	Dutch, English, French, German, Spanish
Package content	Multi language manual
PLC Status	Active
Warranty	2-Year

Lighting

Total lumens	3300 lm
Useful lumens	2900 lm
Lamp efficacy	110
Light sharing	Symmetric
Color temperature	4000 K
Color description	Neutral white
Color rendering index	80
Color consistency (McAdam Ellipse)	SDCM6
Beam angle	110 °
Photobiological safety according to EN 62471	RG1
Flicker-free	Yes

Electrical

Power consumption	30 W
Input voltage.	220 — 240 V
Voltage type	AC
Input frequency	50/60 Hz
Power factor	0.9
Input current.	150 — 150 mA
Safety class	I
Control gear type	Driver on board
Control gear mounting	On PCB
Type of dimming	Not dimmable
LED chip type	SMD 2835
LED chip brand	Sanan
LED chip quantity	40

Performance

IP Rating	IP65
Impact strength	IK08
Rated life time L70/B50 at 25 C	25000 h
Operating Temperature	-20 — 45 °C
Energy class (EU 2019/2015)	E

Mechanical

With light source	No
-------------------	----

Article length	259 mm
Article width	205 mm
Article height	276 mm
Article net weight	1475 g
Housing material	Aluminum
Color housing	Black
Diffuser material	Polycarbonate (PC)
Diffuser finishing	Clear
Cable type	H07RN-F 3G1.0 mm ²
Cable length	300 cm
Cable color	Black
Plug type	Hybrid plug
Lamp socket	N/A
Lamp type	LED exchangeable

Logistic Data

Packaging length	27 cm
Packaging width	10 cm
Packaging height	30 cm
Packaging gross weight	1655 g
EAN Product	8720604300741
Packaging paper material weight	176 g
Packaging plastic material weight	4 g
Master carton length	55 cm
Master carton width	43 cm
Master carton height	32 cm
CBM master carton	0.07568 m ³
Master carton quantity	8
Master carton gross weight	13.9 kg
Master carton paper material weight	2068 g
Master carton plastic material weight	32 g
EU pallet quantity	192
HS Code	9405421000

View on the website: www.shada.nl/p/0310720