



0401263 Rope - 80W 8000Lm 4000K IP65 - 10m

- High light output
- Flicker-free
- Dust and water resistant

The Led Rope Light is ideal for illuminating workplaces and construction sites.

The rope is flicker-free and has a high light output, making sure that places are always well lit. In addition the rope is perfect for indoor and outdoor use, due to the fact that it is dust and water resistant.

LED's work

The light is very flexible, easy to install and shines neutral white light.

Furthermore, the light can be reused and easily carried around by rolling it up.

F

General

Brand	LED's work
Collection	Functional
PLC Status	No longer available
Warranty	2-Year

Lighting

Color temperature	4000 K
Color description	Neutral white

Color rendering index	80
Beam angle	90 °

Electrical

Power consumption	80 W
Input voltage.	220 — 240 V
Voltage type	AC
Input frequency	50/60 Hz
Power factor	0.9
Input current.	386 — 386 mA
Safety class	II
Control gear type	Isolated driver
Control gear mounting	External
Type of dimming	Not dimmable
LED chip type	SMD 2835
LED chip quantity	160

Power Supply

Brand of power supply	OEM
-----------------------	-----

Performance

IP Rating	IP65
Rated life time L70/B50 at 25 C	12000 h
Operating Temperature	-10 — 40 °C
Energy class (EU 874/2012)	A++
Energy class (EU 2019/2015)	F

Mechanical

Article length	10000 mm
Article width	17 mm
Article height	6 mm
Article net weight	1937 g
Housing material	Polycarbonate (PC)
Color housing	Colourless
Cable type	H05RN-F 2X1.0 mm ²
Cable color	White

Plug type

Contour plug

Lamp type

LED not exchangeable

Logistic Data

EAN Product	8720246201277
Master carton length	28 cm
Master carton width	28 cm
Master carton height	9 cm
CBM master carton	0.007056 m ³
Master carton quantity	1
Master carton gross weight	2.2 kg
Master carton paper material weight	466 g
Master carton plastic material weight	208 g
Country of Origin	CN
HS Code	9405423190

View on the website: www.shada.nl/p/0401263