



**0710323 Handlamp - 5W 600lm 5000K IP54 - Lithium-ion - 005.92Wh**

- Equipped with hook and magnet
- Light and compact design
- torch light and two side lights

ideal for DIY projects, workshops and crafts. The rechargeable handlamp features three light sources: one on the top and two on the sides, primary side has 2 brightness mode. Each worklight comes with a USB-C recharging cable.

Each portable lamp is equipped with a hanging clip with magnet that allows you to easily attach the lamp to any surface. The cordless use combined with the compact size makes this handlamp very convenient for professional use by mechanics, craftsmen, technicians and more.

**LED's work**

**General**

Brand

LED's work

Collection	Functional
Manual language	Dutch, English, French, German, Spanish
Package content	USB cable, Multi language manual
PLC Status	Active
Warranty	2-Year

## Lighting

Total lumens	600 lm
Adjustable luminous flux	Positions
Lamp efficacy	120
Light sharing	Symmetric
Color temperature	5000 K
Color description	Cool white
Color rendering index	80
Beam angle	100 °
Photobiological safety according to EN 62471	RG1

## Electrical

Power consumption	5 W
Input voltage.	5 — 5 V
Input current.	1000 — 1000 mA
Safety class	III
Type of dimming	Button dimming
LED chip type	SMD 2835
LED chip brand	Changfang
LED chip quantity	32

## Performance

IP Rating	IP54
Impact strength	IK07
Rated life time L70/B50 at 25 C	30000 h
Operating Temperature	-20 — 45 °C
Energy class (EU 2019/2015)	Not required

## Mechanical

With light source	No
-------------------	----

Article length	209 mm
Article width	37 mm
Article height	20 mm
Article net weight	157 g
Housing material	Aluminum
Color housing	Black
Diffuser material	Polycarbonate (PC)
Diffuser finishing	Clear
Cable type	DC cable 24 AWG
Cable length	100 cm
Cable color	Black

### Battery

NL subcategory	Packs
NL usage klass	P
Stibat code	B110020020
Stiftung Batterien (GRS) code	1023314453
Technology	Lithium-ion
Battery brand	Other
Capacity	1600 mAh
Voltage	3.7 V
Energy	5.92 Wh
Run time	1.2 h
Charging time	2.5 h
Charging cycles	500
Weight	37 g
Number of cells	2

### Logistic Data

Packaging length	25 cm
Packaging width	10 cm
Packaging height	4 cm
Packaging gross weight	212 g
EAN Product	8720604306064
Packaging paper material weight	55 g
Master carton length	52 cm
Master carton width	36 cm
Master carton height	27 cm
CBM master carton	0.050544 m <sup>3</sup>

Master carton quantity	40
Master carton gross weight	9.2 kg
Master carton paper material weight	2920 g
HS Code	8513100000

View on the website: [www.shada.nl/p/0710323](http://www.shada.nl/p/0710323)