









0801015_01 Panel - 36W 3600lm 4000K UGR<22 - 595x595mm - Philips Driver - White

- Anti-discoloration
- Low glare rating
- Even light distribution

The LED panel has a simple design and creates a uniform light effect. Ideal for a wide variety of rooms and offices.

LED's light

In addition, the panel is energy-efficient, emits a neutral white light and has a very low glare rating, meaning that it does not create much discomfort to those around it.

F

General

Brand LED's light
Collection Functional
PLC Status Phase out
Warranty 2-Year

Lighting

Total lumens 3600 lm Lamp efficacy 100



0.5

Light sharing Symmetric
Color temperature 4000 K

Color description Neutral white

Color rendering index80Color consistency (McAdam Ellipse)SDCM6Beam angle120 °Unified glare rating<22</td>Photobiological safety according to EN 62471RGOFlicker-freeYes

Electrical

Power consumption 36 W

Input voltage. $220-240~\mathrm{V}$

Voltage type AC

Input frequency 50/60 Hz

Power factor 0.9

Input current. $$170-170\,\mathrm{mA}$$

Safety class

Control gear type Isolated driver
Control gear mounting External
Type of dimming Not dimmable
Glow wire test 650 °C
LED chip type SMD 4014
LED chip brand Edison
LED chip quantity 156

Power Supply

Inrush current

Brand of power supply
Output power supply
38 W

Output voltage power supply $$42-42\,\mathrm{VDC}$$ Output current power supply $$800\,\mathrm{mA}$$

Performance

IP Rating IP20
Rated life time L70/B50 at 25 C
50000 h
Operating Temperature
-10 — 45 °C



Energy class (EU 874/2012) A+
Energy class (EU 2019/2015) F

Mechanical

With light source No

Article length 595 mm
Article width 595 mm
Article height 9 mm
Article net weight 1700 g
Housing material Aluminum
Color housing White

Diffuser material Polystyrene (PS)

Diffuser finishing Opal

Cable type H03VVH2-F 2X0.5 mm²

Cable length 150 cm
Cable color White
Plug type Euro plug

Lamp type LED not exchangeable LGP material Mild steel (MS)

Logistic Data

Packaging length 68 cm
Packaging width 4 cm
Packaging height 60 cm
Packaging gross weight 2100 g

EAN Product 8720246200942

Packaging paper material weight 420 g Packaging plastic material weight 30 g Inner carton length 68 cm Inner carton width $4\,\mathrm{cm}$ Inner carton height 60 cm 1 Innerbox quantity Inner carton gross weight 2 kg Master carton length 69 cm Master carton width 18 cm Master carton height 63 cm

CBM master carton 0.078246 m³

Master carton quantity 4

Master carton gross weight 9.22 kg



Master carton paper material weight825 gMaster carton plastic material weight120 gCountry of OriginCN

HS Code 9405119090

View on the website: $\underline{\text{www.shada.nl/p/0801015_01}}$