



1000471 Outdoor Solar Light - wall light 5lm 2700K IP44 - Sensor - Black - Soweto

- Solar powered
- Warm white light from above and below
- Wireless

Light up your walls and fences with the Led Solar Light Soweto.

The lamp is solar powered and can therefore be installed wherever you like by using the included screws. However, be aware that the lamp requires light so do not install the lamp in dark places.

LED's light

Once the lamp is attached to your wall, it will give you warm white light from above and below. The lamp will automatically turn on once it is dark outside and can withstand most weather conditions.

General

Brand	LED's light
Collection	Outdoor
Fancy name	Soweto
Manual language	Dutch, English, French, German, Spanish
Package content	Multi language manual, Screws and plugs
PLC Status	No longer available
Warranty	2-Year

Lighting

Total lumens	5 lm
Light sharing	Symmetric
Color temperature	2700 K
Color description	Warm white
Color rendering index	70
Color consistency (McAdam Ellipse)	SDCM6
Flicker-free	Yes

Electrical

Voltage type	DC
Safety class	III
Control gear type	Driver on board
Control gear mounting	On PCB
Type of dimming	Not dimmable
LED chip type	SMD 2835
LED chip quantity	16

Power Supply

Brand of power supply	OEM
-----------------------	-----

Performance

IP Rating	IP44
Impact strength	Not available
Operating Temperature	-20 — 50 °C

Mechanical

With light source	No
Article length	200 mm
Article width	40 mm
Article height	100 mm
Article net weight	245 g
Housing material	Acrylonitrile butadiene styrene (ABS)
Color housing	Black
Diffuser material	Polystyrene (PS)

Diffuser finishing	Opal
Lamp model	Wall light
Lamp type	LED not exchangeable
Mounting type	Wall

Sensor

Type of sensor	Daylight
Sensitivity of the natural light sensor	150 — 150 lx

Battery

Technology	LiFePO4
Capacity	600 mAh
Voltage	3 V
Energy	1.92 Wh
Run time	6 h
Charging time	8 h
Charging cycles	1000
Weight	18 g
Number of cells	1

Solar panel

Solar panel type	Polycrystalline Silicon
Panel voltage	4.5 V
Panel current	120 mA
Peak power	0.76 W

Logistic Data

Packaging length	21 cm
Packaging width	4.1 cm
Packaging height	10.5 cm
Packaging gross weight	350 g
EAN Product	8720246202120
Packaging paper material weight	48.3 g
Packaging plastic material weight	2 g
Master carton length	44 cm
Master carton width	36 cm

Master carton height	34 cm
CBM master carton	0.053856 m ³
Master carton quantity	48
Master carton gross weight	17.3 kg
Master carton paper material weight	3342 g
Master carton plastic material weight	27.6 g
Country of Origin	CN
HS Code	9405114090

View on the website: www.shada.nl/p/1000471