



















1000491 Rechargeable Table Lamp - 1,5W 175Lm 2000-4000K IP54 - CCT - Dimmable - Grey

- Touch button for on/off/dimming/CCT
- 10+ hours of cordless light
- Lamp can be used outside

LED's light

The modern and slim Rechargeable Table Lamp offers you instant light at the table without any cords. Perfect for bars, restaurants, bedrooms and living rooms.

- Integrated Led-light source
- Touch on/off dimmable/CCT table lamp, no more need for switches!
- Warm to cold white light
- 10+ hours of cordless light
- Indoor and outdoor use thanks to the aluminum powder coated housing (IP54)
- Rechargeable using the contact induction charging base with USB
- Red charging indicator light

Available in the colors white, gray, and black.

General

Brand LED's light Collection Decorative



PLC Status Active
Warranty 2-Year

Lighting

Total lumens 175 lm
Lamp efficacy 117

Color temperature 2000 K, 2700 K, 4000 K

Color description Extra warm white, Warm white, Neutral white

Color rendering index 80

Beam angle 150°

Photobiological safety according to EN 62471 RG1

Electrical

Power consumption 1.5 W Input voltage. 5 — 5 V Voltage type DC Input frequency Ω/A

Input current. $$500-500\,\mathrm{mA}$$

Safety class III

Type of dimming Button dimming

Glow wire test $650\,^{\circ}\mathrm{C}$ LED chip type SMD 2835
LED chip brand Sanan
LED chip quantity 28

Performance

IP Rating IP54 Rated life time L70/B50 at 25 C 30000 h Operating Temperature 0 $-40\,^{\circ}$ C Energy class (EU 2019/2015) Not required

Mechanical

With light source No
Article length 115 mm
Article width 115 mm
Article height 375 mm



Article net weight 900 g

Housing material Polycarbonate (PC)

Color housing Grey

Diffuser material Polycarbonate (PC)

Diffuser finishing Opal
Cable length 120 cm
Lamp socket N/A

Lamp model Candle light

Lamp type LED not exchangeable

Connection type USB

Battery

NL subcategory Packs
NL usage klass P

Stibat code B110020050 Stiftung Batterien (GRS) code 1024314453 Technology Lithium-ion Battery type 18650 Capacity 4400 mAh 3.7 V Voltage Energy 16.28 Wh Run time 10 h Charging time 10 h 500 Charging cycles

Weight 100 g
Number of cells 2

Logistic Data

Packaging length16.5 cmPackaging width14 cmPackaging height43.5 cmPackaging gross weight1450 g

EAN Product 8720604305517

Packaging paper material weight 548 g
Packaging plastic material weight 2 g

Master carton length 73 cm

Master carton width 35 cm

Master carton height 46 cm

CBM master carton 0.11753 m³



Master carton quantity10Master carton gross weight15.5 kgMaster carton paper material weight6480 gMaster carton plastic material weight20 gCountry of OriginCNHS Code9405413100

View on the website: $\underline{\text{www.shada.nl/p/}1000491}$