



2400201_01 LED TL Luminaire with Tube - 2x7.5W 60cm 2200lm 4000K IP65

- 150 lm/w
- Protected against dust and low pressure jets of water
- Long lifespan due to interchangeable tube

The LED TL Luminaire with tube is perfect for workplaces, garages, sheds and smaller warehouses.

The luminaire is dust tight, protected against waterjets and highly impact resistant. In addition, the lamp comes with two tubes that are highly efficient.

The tubes are interchangeable, which means that the lifespan of the luminaire is long, since only the tubes need to be replaced. The tubes emit a neutral white light.

LED's light


General

Brand	LED's light
Collection	Functional
PLC Status	Phase out
Warranty	2-Year

Lighting

Total lumens	2200 lm
Lamp efficacy	147
Color temperature	4000 K
Color description	Neutral white
Color rendering index	80
Color consistency (McAdam Ellipse)	SDCM6
Beam angle	220 °
Photobiological safety according to EN 62471	RG1
Flicker-free	Yes

Electrical

Power consumption	15 W
Input voltage.	220 — 240 V
Voltage type	AC
Input frequency	50/60 Hz
Input current.	72 — 72 mA
Safety class	I
Control gear type	Non-isolated driver
Control gear mounting	Built-in
Type of dimming	Not dimmable
Glow wire test	650 °C
 Maximum qty per 16A type B circuit breaker	97
LED chip type	SMD 2835
LED chip brand	Everlight
LED chip quantity	92

Performance

IP Rating	IP65
Impact strength	IK08
Rated life time L70/B50 at 25 C	50000 h

Operating Temperature	-20 — 40 °C
Energy class (EU 874/2012)	A+
Energy class (EU 2019/2015)	D

Mechanical

With light source	No
Suitable for number of lamps	2
Article length	655 mm
Article width	115 mm
Article height	86 mm
Article net weight	1300 g
Housing material	Polycarbonate (PC)
Color housing	White
Diffuser material	Polycarbonate (PC)
Diffuser finishing	Transparent
Lamp socket	G13
Lamp type	LED exchangeable
Mounting type	Ceiling

Logistic Data

Packaging length	66 cm
Packaging width	11.5 cm
Packaging height	8.5 cm
Packaging gross weight	1164 g
EAN Product	8718692545021
Packaging paper material weight	80 g
Packaging plastic material weight	9 g
Master carton length	67 cm
Master carton width	28 cm
Master carton height	35 cm
CBM master carton	0.06566 m ³
Master carton quantity	9
Master carton gross weight	11.1 kg
Master carton paper material weight	1340 g
Master carton plastic material weight	80 g
Country of Origin	CN
HS Code	9405114090