



2400204_01 LED TL Luminaire with Tube - 1x20.5W 150cm 3100lm 4000K IP65

- 150 lm/w
- Dust tight and waterjet protected
- Long lifespan due to interchangeable tube

The LED TL Luminaire with tube is perfect for workplaces, garages, sheds and smaller warehouses.

The luminaire is dust tight and protected against waterjets. The luminaire comes with an interchangeable tube that is highly efficient.

The tube is interchangeable, which means that the lifespan of the luminaire is long, since only the tube needs to be replaced. The tube emits a neutral white light that is also flicker-free.

LED's light


General

Brand	LED's light
Collection	Functional
PLC Status	Phase out
Warranty	2-Year

Lighting

Total lumens	3100 lm
Lamp efficacy	151
Color temperature	4000 K
Color description	Neutral white
Color rendering index	80
Color consistency (McAdam Ellipse)	SDCM6
Beam angle	220 °
Photobiological safety according to EN 62471	RG1
Flicker-free	Yes

Electrical

Power consumption	20.5 W
Input voltage.	220 — 240 V
Voltage type	AC
Input frequency	50/60 Hz
Input current.	96 — 96 mA
Safety class	I
Control gear type	Driver on board
Type of dimming	Not dimmable
Glow wire test	650 °C
 Maximum qty per 16A type B circuit breaker	75
LED chip type	SMD 2835
LED chip brand	Everlight
LED chip quantity	112

Performance

IP Rating	IP65
Impact strength	IK08
Rated life time L70/B50 at 25 C	50000 h
Rated life time L80/B50 at 25 C	25000 h

Operating Temperature	-20 — 40 °C
Energy class (EU 874/2012)	A+
Energy class (EU 2019/2015)	D

Mechanical

With light source	No
Suitable for number of lamps	1
Article length	1565 mm
Article width	72 mm
Article height	86 mm
Article net weight	1800 g
Housing material	Polycarbonate (PC)
Color housing	White
Diffuser material	Polycarbonate (PC)
Diffuser finishing	Transparent
Lamp socket	G13
Lamp type	LED exchangeable
Mounting type	Ceiling

Logistic Data

Packaging length	156 cm
Packaging width	6.5 cm
Packaging height	9 cm
Packaging gross weight	1680 g
EAN Product	8718692547544
Packaging paper material weight	66.7 g
Packaging plastic material weight	11.7 g
Master carton length	159 cm
Master carton width	29 cm
Master carton height	22 cm
CBM master carton	0.101442 m ³
Master carton quantity	9
Master carton gross weight	16.28 kg
Master carton paper material weight	1613 g
Master carton plastic material weight	702 g
Country of Origin	CN
HS Code	9405114090