



## 2410202 LED TL Luminaire with Tube - 1x18W 120cm 2600lm CCT IP65

- CCT switch
- Protected against dust and low pressure jets of water
- Long lifespan due to interchangeable tube

The LED TL Luminaire with tube is perfect for workplaces, garages, sheds and smaller warehouses.

The luminaire is dust tight and protected against waterjets. The luminaire comes with an interchangeable tube that is highly efficient.

The tube is interchangeable, which means that the lifespan of the luminaire is long, since only the tube needs to be replaced.

A CCT switch is included which allows you to adjust the color temperature from warm to cold white light.

LED's light

D

### General

Brand	LED's light
Collection	Functional
Manual language	Dutch, English, French, German, Spanish
Package content	Screws and plugs
PLC Status	Active
Warranty	2-Year

## Lighting

Total lumens	2600 lm
Lamp efficacy	144
Color temperature	3000 K, 4000 K, 6500 K
Color description	Neutral white, Cool white, Warm white
Color rendering index	80
Color consistency (McAdam Ellipse)	SDCM6
Beam angle	120 °
Photobiological safety according to EN 62471	RG1
Flicker-free	Yes

## Electrical

Power consumption	18 W
Input voltage.	220 — 240 V
Voltage type	AC
Input frequency	50/60 Hz
Power factor	0.8
Input current.	96 — 96 mA
Safety class	II
Control gear type	IC constant current driver
Control gear mounting	On PCB
Type of dimming	Not dimmable
LED chip type	SMD 2835
LED chip brand	Other
LED chip quantity	186

## Performance

IP Rating	IP65
Impact strength	IK08
Rated life time L70/B50 at 25 C	50000 h
Operating Temperature	-20 — 40 °C
Energy class (EU 874/2012)	n/A
Energy class (EU 2019/2015)	D

## Mechanical

With light source	No
Suitable for number of lamps	1

Article length	1265 mm
Article width	72 mm
Article height	86 mm
Article net weight	1600 g
Housing material	Polycarbonate (PC)
Color housing	White
Diffuser material	Polycarbonate (PC)
Diffuser finishing	Clear
Lamp socket	G13
Lamp holder	T8
Lamp type	LED exchangeable
Mounting type	Ceiling

### Logistic Data

Packaging length	66 cm
Packaging width	7 cm
Packaging height	8.6 cm
Packaging gross weight	74 g
EAN Product	8720604304527
Packaging paper material weight	48 g
Packaging plastic material weight	9 g
Master carton length	67 cm
Master carton width	28 cm
Master carton height	35 cm
CBM master carton	0.06566 m <sup>3</sup>
Master carton quantity	9
Master carton gross weight	12.27 kg
Master carton paper material weight	1290 g
Master carton plastic material weight	140 g
Country of Origin	CN
HS Code	9405114090

View on the website: [www.shada.nl/p/2410202](http://www.shada.nl/p/2410202)